

July 13, 2021

Ref.: 270091

To: All Tender Participants

Dear Sir / Madam,

**Re: Public Tender No. 031-21 (the "Tender") – Modifications and Clarifications #1**

This notice ("**Notice**") from Energy Infrastructures Ltd. and/or Oil Products Pipeline Ltd. (the "**Company**") includes certain clarifications and updates regarding the Tender. Any term herein which is defined in the Tender Documents (as defined in the Tender) has the meaning ascribed to such term therein, unless and to the extent otherwise defined herein.

**Modifications to the Tender**

After consideration of circumstances including feedback received from some bidders, ***the Company has approved the following modifications to the Tender.*** Please note that these modifications include the full details regarding the new Bill of Quantities and updated Submission Deadline.

	<b><u>Issue</u></b>	<b><u>Modification</u></b>
1	Submission Deadline	The Submission Deadline for this Tender is extended to August 11, 2021

**Clarifications**

The Company has received certain requests for clarification regarding the Tender, in accordance with Section 5.1 thereof, provided below (the "**Questions**"). Next to each Question is the Company's answer, which shall be considered by the Company as authoritative.

	<b><u>Question</u></b>	<b><u>Answer</u></b>
1	Is there a reciprocal purchase obligation?	No.
2	What does the list of "Approved Bidders" mean? They are not manufacturers, but a commercial entity for that matter. Hence, they are not able to offer pipes manufactured by themselves. How does this line up with the rest of the Tender requirements?	"Approved Bidders" are bidders who have been duly approved for consideration in previous tender published by the Company.



3	We request that the validity of the bids will be reduced to 14 days.	The bid will be valid for 30 days following the Submission Deadline (instead of 45 days).
4	Will a priority be given to an early supply of the goods?	No
5	For welded pipes: Can you also accept X52 pipes as previous demands?	Confirmed
6	For welded pipes: Can you extend delivery Time for this item for 120 days.	Confirmed
7	We request that you consider postponing the tender until the approval of another supplier or alternatively splitting the tender into a smaller quantity until the approval of another such supplier.	Request denied. Please note that the Submission Deadline has been extended due to considerations of the Company. It is hereby clarified, that a production facility that will be approved and added to the Approved Production Facilities listed in Annex G until the Submission Deadline will be eligible to participate in this tender, as an Approved Production Facility.

Thank you for your continued interest in the Tender; we look forward to receiving your bids.

Sincerely,

*Talmor*

Talmor Sela

Procurement and Engagements Department

